



TOWN OF PLATTSBURGH
WATER AND WASTEWATER DEPARTMENT

151 BANKER ROAD
PLATTSBURGH, NEW YORK 12901-7307
(518) 562-6890
FAX # (518) 563-8198

Michael S. Cashman
Supervisor

Charles Kostyk
Deputy Supervisor

November 9, 2021

To: Honorable Michael S. Cashman
Members of the Town Board

From: Water & Wastewater Department

RE: Water & Wastewater October Report

- Collected all required monthly samples.
- Meters read, and inventoried. Skip reports completed.
- Operation Reports to CCDH.
- Review of the monthly Planning Board Meeting regarding upcoming projects.
- There were 138 daily job orders, and 152 locates for DSNY including 4 Emergency.
- CCDH Annual Inspection of Greater Plattsburgh Water System.
- There were 3 after hours call outs. We responded to a low Cl2 alarm at GPWTP, the injection line was air bound and needed to be bled. There was a low clear well alarm at the GPWTP that was a result of Well 7 tripping out due to an electrical interruption that was weather related. 1 Quarry Road called stating they had no water. There was a leak on the service line for this location reported earlier in the day. As a result of investigating the leak the service line was inadvertently shut off. We will be installing a new service at this location and abandoning the existing line.
- Pump float replacement at Point Cliff Lift Station.
- Met with C&E Fencing onsite at Bluff Point Tower for fence replacement quote.
- Cleaned clear well at GPWTP.
- Multiple repairs to the force main in the manholes on Windswept Lane.
- Training an operator to take over the sampling responsibilities.
- An operator transferred to the Building & Grounds Department vacancy.
- Installed the rebuilt pump at CWWTP. Replaced the electrical terminal blocks as well.
- Flushing hydrants throughout the system.
- Vac-truck for the contractor looking for the force main at Connecticut Lift Station.
- Hydrant repairs on Adams Drive and Gateway Drive in Beekmantown.
- Attempted to televise storm drain in Heritage Heights for the Highway Department.
- Sewer lateral investigation for CV Tech at Military Turnpike and Rugar Street Intersection.
- Clean out manholes and digester at CWWTP.
- Cleaned I-87 Lift Station.

- Cold patch manhole at Military Turnpike and Rugar Street intersection.
- Replaced two failed floats at I-87 Lift Station.
- Director and two operators to Lake Placid to look at package sewer pump stations.
- Pull and clean pumps at Sorrell Pump Station.
- Placed I-87 Lift Station on auxiliary power to allow NYSEG to transition the new electrical supply.
- Investigate service line leak on Tom Miller Road.
- Updates and enter data for Fleet Management Program.
- Winterize Well 6 building.
- Met with the contractor doing soil borings for the Air Force on PARC.
- Inspect and test run generator at CWWTP.
- Installed solenoid valve at GPWTP.
- Manhole inspections in Cliff Haven.
- Jetting on Hammond Lane for City Water Treatment Plant discharge issues.
- Hydrant repair on Ampersand Drive.
- In house and town wide vehicle and equipment maintenance and repairs.
- Prepare annual relevy.